

Palisade grass

Brachiaria brizantha | Marandu

BOTANICAL	CHARACT	ERISTICS

Botanical name	Urochloa brizantha Syn. Brachiaria brizantha	
Common name	Palisade grass	
Origin of the species	Sub-Saharan Africa	
Life cycle	Perennial	
Days to flowering	90-120 days	
Soil fertility	Tolerates low fertility and the presence of Aluminum	

IMPLEMENTATION | SOWING | ESTABLISHMENT

1000-Seed weight	8.5 g	
Sowing rate	17-30 viable seeds/m2	
Target population density (at first grazing / pasture)	10-20 plants/m2	
Sowing depth	1-2 cm	
Sowing period	Spring / Summer (with reliable soil moisture)	
Row spacing	n/a	
Cropping method	Single or mixed with tropical legumes and trees	

USAGE

Recommended for Forage, soil conservation

MANAGEMENT

Pre-grazing height 30-35 cm Post-grazing height 10-15 cm Height under 25 cm continuous grazing

DISEASES & PESTS

Drought	Moderately Resistant	
Waterlogging	Susceptible	
Shading	Resistant	
Spittlebug/Froghopper	Resistant	

YIELD

Forage yield		10-20 t DM/ha/yr	
Crude prote	in	8-13%	
TDN	n/a	ADF	32%-37%
NDF	58%-66%	IVDMD	62%-65% (75% 15-day-old leaves)